	Туре	Hits	Search Text	DBs
<b>H</b>	BRS	249	US-PGPUB; ((focus\$3 with ion with beam) USPAT; USOCR; or FIB) and (circuit with EPO; JPO; repair) IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
2	IS&R	₩.	("4900695").PN.	USPAT
m	BRS	0	((focus\$3 with ion with beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
4	BRS	0	(metal with interconnect) and BOAC	anduspar
S	BRS	0	(metal with interconnect) and BOAC	US-PGPUB; and USPAT; USOCR; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
9	BRS	15	bond adj over adj active adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
7	BRS	18	power adj bus adj layer	USPAT
<b>&amp;</b>	BRS	7	((focus\$3 with ion with beam) or FIB) and (Gallium with LMI) and xenon	US-PGPUB; USPAT
<u>_</u> თ	BRS	2089	metal with (plasma adj etching)	US-PGPUB; USPAT
10	BRS	56	S9 and (copper adj interconnect)	US-PGPUB; USPAT
11	BRS	587	((focus\$3 with ion with beam) or FIB) and (plasma with etch\$3)	USPAT
12	BRS	7	S11 and (copper adj interconnect)	USPAT
13	BRS	505	plasma with etching with copper	USPAT

	Type	Hits	Search Text	DBs
14	BRS	0	((focus\$3 with ion with beam) or FIB) and (Gallium with LMI) and (platinum with gas)	US-PGPUB; USPAT
15	BRS	0	((focus\$3 with ion with beam) or FIB) and (Gallium with LMI) and (platinum with gas)	USPAT
16	BRS	0	((focus\$3 with ion with beam) or FIB) and (Gallium with LMI) and (platinum with gas)	US-PGPUB; USPAT
17	BRS	<del>1</del>	((focus\$3 with ion with beam) or FIB) and (Gallium with LMI) and (platinum with metal)	US-PGPUB; USPAT
18	BRS	11498	216/63,66,67,78.ccls. or 438/625,637,641,676,687- 689,704,710,712,724,745,940.c	US-PGPUB; USPAT

	Type	Hits	Search Text	DBs	
ച	BRS	277	S18 and ((focus\$3 with (ion or particle) with beam) or FIB)	US-PGPUB; USPAT	USPAT
50	BRS	227	S19 and (gallium or Ga)	US-PGPUB; USPAT	USPAT
21	BRS	161	S20 and (metal or interconnect or wiring or conductor) and (dielectric or US-PGPUB; USPAT insulator or oxide or nitride)	US-PGPUB;	USPAT